

HARDEMAN, EDWIN MRN: DOB: Sex: M Enc. Date: 02/19/15

Office Visit 2/19/2015 Office Visit

Visit Information

Provider Department Encounter# 2/19/2015 10:10 AM JEFFREY ZHENG-SHENG YE Sro-Onc* >Main Campus 387949124

MD

Allergies as of 2/19/2015

Reviewed On: 2/6/2015 By: Firmes, Randy H (M.A.)

Reaction Type Allergen Noted Reactions 11/27/2001

No Known Drug Allergies 2001-11-27; ADMIT ORDER

Immunizations Administered on Date of Encounter - 2/19/2015

Never Reviewed

No immunizations on file.

Reason For Encounter History

Date & Time Wilson, Cyndi (M.A.) 2/19/2015 10:11 AM

Reason For Encounter CONSULTATION

Comment: ONCOLOGY CONSULT

Diagnoses

DIFFUSE LARGE B-CELL LYMPHOMA - Primary LIVER CIRRHOSIS

HX OF HEPATITIS C

Vitals

BP	Pulse	Ht	Wt	BMI		
151/86 mmHg	62	5' 9"	213 lb (96.616 kg)	31.44 kg/m2		

Flowsheet (all recorded)

Encounter Vitals

	02/19/15 1011
Enc Vitals	
BP	151/86 mmHg -CW
Pulse	62 -CW
Wt (gms)	213 lb (96.616 kg) -CW
Height	5' 9" -CW

User Key (r) = User Recd, (t) = User Taken, (c) = User Cosigned **Effective Dates**

Wilson, Cyndi (M.A.) CW 12/14/14 - 09/15/15

Encounter Information

Provider Department Center 2/19/2015 10:10 AM JEFFREY ZHENG-SHENG YE MD Sro-Onc* >Main Campus SROA

Progress Notes

Ye, Jeffrey Zheng-Sheng (M.D.) at 2/19/2015 12:14 PM

Author Type: Physician Status: Signed

CC: Diffuse large B cell lymphoma

HPI: Edwin Hardeman is a 66 Y male referred by Dr. Turley

UNITED STATES DISTRICT COURT TRIAL EXHIBIT 45 Case No. 3:16-cv-0525-VC Deputy Clerk



HARDEMAN, EDWIN MRN: DOB: Sex: M Enc. Date: 02/19/15

Progress Notes (continued)

Ye, Jeffrey Zheng-Sheng (M.D.) at 2/19/2015 12:14 PM (continued)

Version 1 of 1

Felt non tender lumps on the right neck after Christmas that persisted for several weeks. FNA (1/28/2015) showed necrotic cells. Core biopsy 2/6/2015 showed diffuse large B cell lymphoma, Ki67 = 80% of the large cells. The neckmasses have not changed in size, or even become softer since he first felt them. Patient is otherwise asymptomatic except chronic fatigue; no recent exacerbation. Denies night sweats, fever, or weight loss.

Hx of hepC s/p IFN therapy in 2005. Recent viral screening showed hx of HepB exposure (HBsg/Ab-; HBcAb+)

Liver cirrhosis documented by sonogram. Liver reserve excellent

Wt Readings from Last 3 Encounters:

02/19/15

213 lb (96.616 kg)

01/28/15

215 lb 9.6 oz (97.796 kg)

12/26/14

218 lb (98.884 kg)

Patient Active Problem List:
HX OF HEPATITIS C
CIRRHOSIS OF LIVER
HYPERTENSION
LEFT BRANCH RETINAL VEIN OCCLUSION
KNEE PAIN
SEBORRHEIC KERATOSIS
LIPOMA
BILAT CATARACT
BILAT OPEN ANGLE GLAUCOMA
BPH (BENIGN PROSTATIC HYPERTROPHY)

Reviewed lab results

ACTINIC KERATOSIS

ROS: General - well
ENT & Eyes - no discharge or epistaxis
CV - no palpitation, chest pain, or DOE
Respiratory - no cough, dyspnea, or hemoptysis
GI - no nausea, vomiting, or diarrhea

Allergy

Current Outpatient Prescriptions

Medication Sig

- Latanoprost (XALATAN) 0.005 % Opht Drop Instill 1 drop into each eye daily at bedtime for glaucoma
- Dorzolamide-Timolol (COSOPT) 2-0.5 % Instill Opht Drop

Instill 1 drop into each eye 2 times a day for glaucoma

 Hydrochlorothiazide Take (ESIDRIX/HYDRODIURIL) 25 mg Oral Tab

Take 1 tablet orally daily

Take 4 tablets orally daily

No current facility-administered medications for this visit.

CONFIDENTIAL

HARDEMAN EDWIN KAISERPERMANENTE 00130



HARDEMAN, EDWIN MRN: DOB: , Sex: M Enc. Date: 02/19/15

Progress Notes (continued)

Ye, Jeffrey Zheng-Sheng (M.D.) at 2/19/2015 12:14 PM (continued)

Version 1 of 1

Physical exam: A&O, NAD
BP 151/86 | Pulse 62 | Ht 5' 9" | Wt 213 lb (96.616 kg) | BMI 31.44 kg/m2
Lymph - 2 right cervical nodes (3-4 cm each); no other palpable adenopathy
ENT/Eyes/Neck - conjunctivae non-injected; no oral thrush; no JVD; neck supple
COR - regular rate & rhythm; no murmur; no gallop
Respiratory - Lungs clear; no rales; no wheezes
Abdomen - soft, NT ND, no organomegaly or mass
Skin - intact; no rash
Neuro - alert; normal gait
Extremity - no edema or cyanosis

Basename	Value	Date/Time
• WBC	6.7	01/28/2015
• HCT	43.7	01/28/2015
• HGB	14.9	01/28/2015
• PLT	169	01/28/2015
· CHOL	156	12/30/2014
• HDL	34	12/30/2014
LDL CALC	81	12/30/2014
LDL DIRECT	104	11/03/2005
TRIG	204	12/30/2014
• ALT	21	01/28/2015
• AST	18	12/30/2014
CREAT	0.89	01/28/2015
 GFR-AFRAM 	>60	01/28/2015
 GFR NONAFR AMER 	>60	01/28/2015
 GFR-NONAFRAM 	>60	07/13/2011
· K	4.7	01/28/2015
• NA	138	01/28/2015
· CO2	30	07/18/2007
· CL	108	07/18/2007
• TSH	3.20	01/28/2015
• PSA	0.4	07/13/2011
· INR	1.1	01/28/2015
· INR	1.1	12/30/2014
• INR	1.1	07/13/2011
GLUC FAST	92	12/30/2014
• GLUC	108	01/28/2015
• URIC	5.2	12/14/2005

Assessment and Plan: DLBCL, ki67 = 80%; PET scan scheduled on Friday 2/20

Discussed diagnos is and staging driven approach in treatment. Bone marrow biopsy scheduled for 2/23 when his wife can come together. I recommended R-CHOP possible followed by radiation if early stage disease is diagnosed by PET and BMBx. Discussed the benefits, side effects, and precautions for these



SRO-MAIN CAMPUS 401 BICENTENNIAL WAY SANTA ROSA CA 95403-2149

Encounter Record

HARDEMAN, EDWIN MRN: DOB: 7 Sex: M Enc. Date: 02/19/15

Progress Notes (continued)

Ye, Jeffrey Zheng-Sheng (M.D.) at 2/19/2015 12:14 PM (continued)

Version 1 of 1

drug. Patient was aware that rare, atypical, and potentially serious or fatal side effects can occur with chemotherapy drugs. Patient asked relevant questions that I answered to her satisfaction

We specifically discussed two additional concerns in his case:

- -The impact of hepC liver cirrhosis on clinical tolerance and marrow reserve. His liver functional reserve is excellent so I do not recommend upfront dose reduction. Will need to aggressively support with neupogen. Interval between cycles may need to be extend to 4 weeks
- -HepB/C reactivation from rituximab: will monitor both diseases through the treatment. I recommended prophylactic lamivudine 150 mg QD

Patient asked many relevant questions and

Electronically signed by Ye, Jeffrey Zheng-Sheng (M.D.) on 2/19/2015 1:27 PM

Patient Secure Message

No messages in this encounter

Progress Notes

Author	Status	Last Editor	Updated	Created
Ye, Jeffrey Zheng-Sheng (M.D.)	Signed	Ye, Jeffrey Zheng-Sheng (M.D.)	2/19/2015 1:27 PM	2/19/2015 12:14 PM

CC: Diffuse large B cell lymphoma

HPI: Edwin Hardeman is a 66 Y male referred by Dr. Turley

Felt non tender lumps on the right neck after Christmas that persisted for several weeks. FNA (1/28/2015) showed necrotic cells. Core biopsy 2/6/2015 showed diffuse large B cell lymphoma, Ki67 = 80% of the large cells. The neckmasses have not changed in size, or even become softer since he first felt them. Patient is otherwise asymptomatic except chronic fatigue; no recent exacerbation. Denies night sweats, fever, or weight

Hx of hepC s/p IFN therapy in 2005. Recent viral screening showed hx of HepB exposure (HBsg/Ab-; HBcAb+)

Liver cirrhosis documented by sonogram. Liver reserve excellent

Wt Readings from Last 3 Encounters:

213 lb (96.616 kg) 02/19/15 01/28/15 215 lb 9.6 oz (97.796 kg)

12/26/14 218 lb (98.884 kg)

Patient Active Problem List: HX OF HEPATITIS C CIRRHOSIS OF LIVER HYPERTENSION LEFT BRANCH RETINAL VEIN OCCLUSION



HARDEMAN.EDWIN MRN: DOB: Sex: M Enc. Date: 02/19/15

KNFF PAIN SEBORRHEIC KERATOSIS LIPOMA **BILAT CATARACT** BILAT OPEN ANGLE GLAUCOMA BPH (BENIGN PROSTATIC HYPERTROPHY) **ACTINIC KERATOSIS**

Reviewed lab results

ROS: General - well ENT & Eyes - no discharge or epistaxis CV - no palpitation, chest pain, or DOE Respiratory - no cough, dyspnea, or hemoptysis GI - no nausea, vomiting, or diarrhea

Allergy

Current Outpatient Prescriptions	
Medication	Sig
 Latanoprost (XALATAN) 0.005 % Opht Drop 	Instill 1 drop into each eye daily at bedtime for glaucoma
 Dorzolamide-Timolol (COSOPT) 2-0.5 % Opht Drop 	Instill 1 drop into each eye 2 times a day for glaucoma
Hydrochlorothiazide (ESIDRIX/HYDRODIURIL) 25 mg Oral Tab	Take 1 tablet orally daily
 Lisinopril (PRINIVIL/ZESTRIL) 10 mg Oral Tab 	Take 4 tablets orally daily

No current facility-administered medications for this visit.

Physical exam: A&O, NAD BP 151/86 | Pulse 62 | Ht 5' 9" | Wt 213 lb (96.616 kg) | BMI 31.44 kg/m2 Lymph - 2 right cervical nodes (3-4 cm each); no other palpable adenopathy ENT/Eyes/Neck - conjunctivae non-injected; no oral thrush; no JVD; neck supple COR - regular rate & rhythm; no murmur; no gallop Respiratory - Lungs clear; no rales; no wheezes Abdomen - soft, NT ND, no organomegaly or mass Skin - intact; no rash Neuro - alert; normal gait Extremity - no edema or cyanosis

Basename	Value	Date/Time
• WBC	6.7	01/28/2015
· HCT	43.7	01/28/2015
• HGB	14.9	01/28/2015
• PLT	169	01/28/2015
· CHOL	156	12/30/2014
· HDL	34	12/30/2014
· LDL CALC	81	12/30/2014
 LDL DIRECT 	104	11/03/2005
TRIG	204	12/30/2014
• ALT	21	01/28/2015



SRO-MAIN CAMPUS 401 BICENTENNIAL WAY SANTA ROSA CA 95403-2149 HARDEMAN,EDWIN
MRN
DOB , Sex: N

	Encounter Record	Enc. Date: 02/19/15	
AST	18	12/30/2014	
· CREAT	0.89	01/28/2015	
 GFR-AFRAM 	>60	01/28/2015	
 GFR NONAFR AMER 	>60	01/28/2015	
 GFR-NONAFRAM 	>60	07/13/2011	
· K	4.7	01/28/2015	
• NA	138	01/28/2015	
• CO2	30	07/18/2007	
• CL	108	07/18/2007	
· TSH	3.20	01/28/2015	
• PSA	0.4	07/13/2011	
· INR	1,1	01/28/2015	
· INR	1.1	12/30/2014	
· INR	1.1	07/13/2011	
 GLUC FAST 	92	12/30/2014	
• GLUC	108	01/28/2015	
• URIC	5.2	12/14/2005	

Assessment and Plan: DLBCL, ki67 = 80%; PET scan scheduled on Friday 2/20

Discussed diagnosis and staging driven approach in treatment. Bone marrow biopsy scheduled for 2/23 when his wife can come together. I recommended R-CHOP possible followed by radiation if early stage disease is diagnosed by PET and BMBx. Discussed the benefits, side effects, and precautions for these drug. Patient was aware that rare, atypical, and potentially serious or fatal side effects can occur with chemotherapy drugs. Patient asked relevant questions that I answered to her satisfaction

We specifically discussed two additional concerns in his case:

- -The impact of hepC liver cirrhosis on clinical tolerance and marrow reserve. His liver functional reserve is excellent so I do not recommend upfront dose reduction. Will need to aggressively support with neupogen. Interval between cycles may need to be extend to 4 weeks
- -HepB/C reactivation from rituximab: will monitor both diseases through the treatment. I recommended prophylactic lamivudine 150 mg QD

Patient asked many relevant questions and

Level of Service

OUTPT NEW LEVEL 5 [99205B]

Order	ECHOCARDIOGRAM, TRANSTHORACIC, TRANSESOPHAGEAL AND STRESS [227256] (Order	
	564626389)	

		All Orders
Order Information		
Date	Department	Ordering/Authorizing
2/19/2015	ONCOLOGY	Ye, Jeffrey Zheng-Sheng (M.D.)